

Effect of beamed, sloped, and sloped beamed ceilings on the activation time of a residential sprinkler



THUMBNAIL
NOT
AVAILABLE

Filesize: 5.26 MB

Reviews

*This book is great. I have go through and so i am confident that i will going to read through once again again in the future. I am just easily can get a satisfaction of looking at a written book.
(Miss Vernie Schimmel)*

EFFECT OF BEAMED, SLOPED, AND SLOPED BEAMED CEILINGS ON THE ACTIVATION TIME OF A RESIDENTIAL SPRINKLER

[DOWNLOAD PDF](#)

No binding. Book Condition: New. This item is printed on demand. Original publisher: Emmitsburg, MD : Dept. of Homeland Security, Federal Emergency Management Agency, U. S. Fire Administration ; Gaithersburg, MD : U. S. Dept. of Commerce, Technology Administration, National Institute of Standards and Technology, 2003 OCLC Number: (OCLOC)740450574 Subject: Ceilings. Excerpt: . . . 5. 1 Results of Computer Modeling Table 16 through Table 21 give comparisons between measured and predicted sprinkler activation times. Each table presents this information for a specific ceiling geometry. The first and second column of each table give the burner position, fire growth rate, time to sprinkler activation, and location of the sprinkler activated for each experiment. For each burner position and fire growth rate two experiments were performed and the average time to activation is given. The third column gives Fire Dynamics Simulator predicted activation time and location of the activated sprinkler for each burner position and fire growth rate. Table 22 through Table 27 are comparisons of the measured temperatures at the 1. 52 m (5 ft) elevation and the predicted values given by Fire Dynamics Simulator at the time of sprinkler activation. Each table presents this comparison for a specific ceiling geometry. The first column of each table gives the burner position and fire growth rate. The second column gives the average temperature, which represents the average of the four thermocouples, one at each sprinkler location, at the 1. 52 m (5 ft) elevation. The low - high temperature is simply the value of the lowest temperature recorded of the four thermocouples and the highest temperature recorded of the four thermocouples at the time of sprinkler activation. The third column gives Fire Dynamics Simulators predicted temperatures. 6 Uncertainty Analysis There are different components of uncertainty in the...

-  [Read Effect of beamed, sloped, and sloped beamed ceilings on the activation time of a residential sprinkler Online](#)
-  [Download PDF Effect of beamed, sloped, and sloped beamed ceilings on the activation time of a residential sprinkler](#)

You May Also Like



ESV Study Bible, Large Print

CROSSWAY BOOKS, United States, 2014. Leather / fine binding. Book Condition: New. Large Print. 257 x 190 mm. Language: English . Brand New Book. The ESV Study Bible, Large Print edition transforms the content of...

[Read ePub »](#)



My Kindle Fire HDX

Pearson Education (US). Paperback. Book Condition: new. BRAND NEW, My Kindle Fire HDX, Jennifer Ackerman Kettell, Step-by-step instructions with callouts to Kindle Fire HDX photos that show you exactly what to do Help when you...

[Read ePub »](#)



DK Readers Day at Greenhill Farm Level 1 Beginning to Read

DK CHILDREN. Paperback. Book Condition: New. Paperback. 32 pages. Dimensions: 8.8in. x 5.7in. x 0.2in.This Level 1 book is appropriate for children who are just beginning to read. When the rooster crows, Greenhill Farm springs...

[Read ePub »](#)



The Fire Children (Paperback)

Rebellion, United Kingdom, 2015. Paperback. Book Condition: New. Not for Online. 198 x 130 mm. Language: English . Brand New Book. Fifteen years have passed since Mother Sun last sent her children to walk the...

[Read ePub »](#)



Readers Clubhouse Set B Time to Open (Paperback)

Barron s Educational Series, United States, 2006. Paperback. Book Condition: New. 222 x 148 mm. Language: English . Brand New Book. This is volume nine, Reading Level 2, in a comprehensive program (Reading Levels 1...

[Read ePub »](#)